

Collection Date	Time Collected	Site Name	City	pH	Temp (C)	Total Chlorine (ppm)	Turbidity (NTU)	Total Coliform	<i>E. coli</i>
2/3/2017	1648	725 MLK Jr Boulevard Sample Station	Chapel Hill			2.3	0.478	Absent	Absent
2/3/2017	1627	Bayberry Drive Sample Station	Chapel Hill			2.0	0.567	Absent	Absent
2/3/2017	1358	Carolina Inn	Chapel Hill	8.45	12.9	2.8	0.152	Absent	Absent
2/3/2017	1725	Chapel Hill Bible Church Sample Station	Chapel Hill			3.0	0.539	Absent	Absent
2/3/2017	1434	Fresh Market	Chapel Hill	8.60	15.4	2.3	1.11	Absent	Absent
2/3/2017	1702	Lakeshore Sample Station	Chapel Hill			2.1	0.622	Absent	Absent
2/3/2017	1342	Phoenix Academy	Chapel Hill	8.34	12.8	2.5	0.303	Absent	Absent
2/3/2017	1752	Spring Valley Road Sample Station	Carrboro			2.0	0.506	Absent	Absent
2/3/2017	1612	Starpoint Sample Station	Chapel Hill			3.0	0.827	Absent	Absent
2/3/2017	1412	UNC Hospital ER	Chapel Hill	8.62	12.6	3.1	0.251	Absent	Absent
2/4/2017	909	725 MLK Jr Boulevard Sample Station	Chapel Hill	8.92	12.4	2.1	0.457	Absent	Absent
2/4/2017	954	Bayberry Drive Sample Station	Chapel Hill	8.90	11.5	1.9	0.493	Absent	Absent
2/4/2017	1247	Calvander Sample Station	Chapel Hill	8.72	12.7	1.4	0.147	Absent	Absent
2/4/2017	1402	Carol Woods	Chapel Hill	8.82	18.4	2.2	0.823	Absent	Absent
2/4/2017	1111	Carrboro Fire Station #1	Carrboro	8.60	12.4	1.9	0.263	Absent	Absent
2/4/2017	1024	Chapel Hill Bible Church Sample Station	Chapel Hill	9.30	15.2	2.8	0.570	Absent	Absent
2/4/2017	1202	Chapel Hill Fire Station #5	Chapel Hill	8.76	18.0	2.4	0.219	Absent	Absent
2/4/2017	1139	Chapel Hill Police	Chapel Hill	8.72	16.1	1.5	0.589	Absent	Absent
2/4/2017	1052	Circle K - Carrboro Plaza	Chapel Hill	8.84	13.7	2.0	0.368	Absent	Absent
2/4/2017	1249	Citgo - Hwy 54	Chapel Hill	9.05	12.9	2.6	1.140	Absent	Absent
2/4/2017	1156	Exxon - Franklin Street	Chapel Hill	8.20	10.4	1.3	0.570	Absent	Absent
2/4/2017	1422	Food Lion - Timberlyne	Chapel Hill	8.95	13.5	1.9	0.347	Absent	Absent
2/4/2017	1040	Food Lion - Carrboro Plaza	Carrboro	8.72	15.6	3.0	0.130	Absent	Absent
2/4/2017	1023	Food Lion - Willow Creek	Carrboro	8.62	16.3	2.9	0.109	Absent	Absent
2/4/2017	944	Fresh Market	Chapel Hill	8.52	14.2	2.0	0.804	Absent	Absent
2/4/2017	1100	Han-Dee Hugo's	Carrboro	8.83	13.9	2.3	0.288	Absent	Absent
2/4/2017	930	Lakeshore Drive Sample Station	Chapel Hill	8.27	11.5	1.7	0.251	Absent	Absent
2/4/2017	1335	Montessori Community School Sample Station	Durham	8.16	12.1	2.0	0.302	Absent	Absent
2/4/2017	1235	OWASA University Lake Office	Chapel Hill	8.98	13.7	2.7	0.308	Absent	Absent
2/4/2017	1210	Phydeaux	Chapel Hill	8.69	20.5	1.6	0.616	Absent	Absent
2/4/2017	849	Spring Valley Road Sample Station	Carrboro	8.87	11.0	2.1	0.408	Absent	Absent
2/4/2017	933	Starpoint Sample Station	Chapel Hill	7.80	12.2	2.8	0.190	Absent	Absent
2/4/2017	840	UNC Cogeneration Plant	Chapel Hill	8.84	14.8	2.3	0.218	Absent	Absent
2/4/2017	854	UNC Hospital ER	Chapel Hill	8.48	13.7	1.9	0.424	Absent	Absent
2/4/2017	912	UNC Public Safety	Chapel Hill	8.53	16.6	1.7	0.395	Absent	Absent
2/4/2017	1141	Walgreen - Franklin Street	Chapel Hill	8.67	15.3	1.2	0.890	Absent	Absent
2/4/2017	1313	Walgreens - Hwy 54	Chapel Hill	8.79	20.1	1.2	1.160	Absent	Absent
2/4/2017	1216	Weaver Street Market - Southern Village	Chapel Hill	8.84	18.8	2.4	0.136	Absent	Absent
2/4/2017	1229	OWASA Mason Farm Waste Water Treatment Plant	Chapel Hill	8.89	19.0	2.0	0.879	Absent	Absent
2/5/2017	921	725 MLK Jr Boulevard Sample Station	Chapel Hill	8.98	12.6	1.8	0.761	Absent	Absent
2/5/2017	1008	Bayberry Drive Sample Station	Chapel Hill	8.68	11.7	1.8	0.396	Absent	Absent
2/5/2017	1038	Chapel Hill Bible Church Sample Station	Chapel Hill	9.04	14.4	2.5	0.780	Absent	Absent
2/5/2017	923	Fresh Market	Chapel Hill	8.34	16.8	1.1	0.293	Absent	Absent
2/5/2017	945	Lakeshore Drive Sample Station	Chapel Hill	8.16	12.0	2.8	0.305	Absent	Absent
2/5/2017	859	Spring Valley Road Sample Station	Carrboro	8.73	12.1	1.8	0.437	Absent	Absent
2/5/2017	944	Starpoint Sample Station	Chapel Hill	7.60	11.8	2.5	0.261	Absent	Absent

2/5/2017	847	UNC Cogeneration Plant	Chapel Hill	8.39	18.4	2.4	0.956	Absent	Absent
2/5/2017	859	UNC Hospital ER	Chapel Hill	8.45	14.0	2.1	0.512	Absent	Absent
2/5/2017	911	UNC Public Safety	Chapel Hill	8.38	16.1	2.3	0.356	Absent	Absent